

Contents

1) Contents

- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Introduction

What are all these good for

Basic Terms

Ontologies

References Questions

Intended Audience

- 1) Contents
- 2) Intended Audience**
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

- *for those who are present :)*
- software engineers and developers who are interested in learning the Semantic Web technology in general
- future working ontologists
- and users of information retrieval systems in general.

What is a Web 1.0 ? (1989-2005)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?**
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

From contentional viewpoint

HTML 3.2 elements like frames and tables,
HTML forms get/sent through e-mails,
content comes from the server's filesystem, not from a RDBMS,
Encyclopedia Britannica online.

From technical/technological viewpoint

no user-to-server communication,
static websites,
content browsing only,
hyper-linking and bookmarking pages.

What is a Web 2.0 ? (1999-2012)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?**
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

From contentional viewpoint

offers free information sorting, allowing users to retrieve and classify data collectively, contains dynamic content that responds to the user's input, employs developed APIs, encourages self-usage and allows several forms of interaction (podcasting, social media, blogging, commenting, ...), Wikipedia.

From technical/technological viewpoint

Web applications introduced, functions such as online documents, video streaming, ... , everything moves online; information and apps are stored on servers, cloud computing operations, centralized data, read/write Web.

What is a Web 3.0 ? (2006-ongoing)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) **What is a Web 3.0 ?**
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

From contentional viewpoint

AI,
Machine Learning,
Natural Language Processing (NLP),
Internet of Things (IoT),
the Semantic Web.

From technical/technological viewpoint

intelligent, web-based functionalities and applications,
decentralized processes,
fusion of Web technology and knowledge representation (RDF, RDFs, **OWL, OWL-2**),
behavioral advertising and engagement,
live videos,
semantic searches,
read/write/control Web.

There's a large amount of website owners who are unaware of the semantic web's importance.

What is a Web 4.0 ? (2020-?)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?**
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

From contentional viewpoint

is about mobility and voice interaction between the user and robots.
symbiotic interaction between man and machine,
Internet is a Web OS. Information can be transmitted from every part of the world,
total transparency; all actions are traceable,
offers higher speed and reliability than ever before.

From technical/technological viewpoint

?

What will (probably) be Web 5.0 ? (?-?)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?**
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

From contentional viewpoint

Web 5.0 is the *emotional Web*,
total control over your identity,
offering true ownership of user data,
expanded emotional intelligence aspect,
DAOs*.

From technical/technological viewpoint

?

*DAO (Decentralised Autonomous Organisation) is an organisation governed by a set of rules or parameters encoded in a computer program and controlled by the users of the program rather than a central authority.

Back to Web 3.0: Advantages/Disadvantages of the Semantic Web (Web 3.0)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) **Back to Web 3.0**
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Possessing huge quantities of **data, information, and knowledge**

which is **translated to be comprehensible** and ready for including

virtual assistants,
software agents,
and AI bots*.


The main three problems, when using the Web 3.0

it is very new and there are very few resources available to help us learn and use it,
it quite complex and there are many different ways to use it,
it is very buggy and there are many ways to make mistakes while using it.

* AI (ro)bots are self-learning bots that are programmed with Natural Language Processing (NLP) and Machine Learning. A chatbot system uses conversational artificial intelligence (AI) technology to simulate a discussion (or a chat) with a user in natural language via messaging applications, websites, mobile apps or the phone.

Ontology in Praxis: Class in Protégé

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) **Ontology Class in Protégé**
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions



Protégé is a free, open-source ontology editor and framework for building intelligent systems.

root system

id [type: xsd:string]

PO:0025025

hasOBONamespace [type: xsd:string]

plant_anatomy


IAO_0000115 [type: xsd:string]

A collective plant organ structure (PO:0025007) that produces root meristems (PO:0006085), the plant structures (PO:0009011) that arise from them and the parts thereof.

Ontology in Praxis: Class in OLSVis (1)*

OLSVis is an animated, interactive visual browser for bioontologies

More than one million terms from biomedical ontologies and controlled vocabularies are available through the Ontology Lookup Service (OLS).



- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)**
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Ontology in Praxis: Class in OLSVis (2)

[OLSVis](#) is an animated, interactive visual browser for bioontologies

More than one million terms from biomedical ontologies and controlled vocabularies are available through the Ontology Lookup Service (OLS).

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) **Ontology Class in OLSVis (2)**
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

OLSVis

Plant Ontology (Structure, Growth and Develc ▾)

• roots
+ filters

glume



root system (PO:0025025)

A collective plant organ structure (PO:0025007) that produces root apical meristems (PO:0020147) and the plant structures that arise from them.

broad synonym:	root
japanese synonym:	根系 (Japanese)
spanish synonym:	sistema de raíz (Spanish)
comment:	Generally the below ground portion of a vascular plant.
subset TraitNet:	Plant Functional Traits
xref definition:	POC:curators

Child terms:

root


root epidermis

root meristem


Anatomical Ontology Example*

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) **Anatomical Ontology**
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Pleural sac in situ



Source: Frank H. Netter: Atlas of Human Anatomy, Seventh edition. (c) 2019 Elsevier Inc. ISBN: 978-0-323-39322-5.



[Meriam-Webster Medical Dictionary](#)
[Anatomy](#)

Source: Robert Arp, Barry Smith, and Andrew D. Spear: Building Ontologies with Basic Formal Ontology, p[34]. The MIT Press Cambridge, Massachusetts London, England. ©2015. ISBN 978-0-262-52781-1

Basic Terms (1)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)**
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Vocabulary

- domain-independent logical symbols and reserved terms,
- domain-dependent constants, identifying individuals, properties or relations,
- variables, whose range is governed by quantifiers,
- punctuations that separate or group other symbols.

Syntax

- Rules for combining the symbols into well-formed expressions.

Semantics

- A theory of reference that determines how the constants and variables are associated with things in the universe of discourse.

Taxonomy

- a scheme of classification,
- methodology and principles of systematic ordering and sets up arrangements of the kinds of the artifacts in hierarchies of superior and subordinate groups.

Basic Terms (2)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)**
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Ontology

- conceptual model of some aspect of a particular universe of discourse,
- ontology is the study of beings or their being—what is.

Epistemology

- the theory of knowledge, especially with regard to its methods, validity, and scope, and the distinction between justified belief and opinion.

Ontology versus Epistemology

Stanford Encyclopedia of Philosophy

Ontology is concerned with what is true or real, and the nature of reality

Asks questions like “*What is existence?*” and “*What is the nature of existence?*”

Epistemology is concerned with the nature of knowledge, and different methods of gaining knowledge



Asks questions like “*What do you know?*” and “*How do you know it?*”

Basic Terms (3)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)**
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Ontology versus Taxonomy

- ontologies allow **multidimensional relationships** to be defined,
 - an ontology identifies and distinguishes concepts and their relationships,
 - ontologies achieve a **higher level of sophistication** by providing richer information, including information about the **relationships among entities**.
-
- a taxonomy is a form of classification scheme,
 - the taxonomy identifies **hierarchical relationships** within a category,
 - each taxonomy is **designed to categorize items** within just one dimension.
 - a taxonomy is a kind of knowledge map,
 - a taxonomy formalizes the hierarchical relationships among concepts.




Basic Terms (4)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)**
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions


Sample Taxonomy: the Linnaean system

- the Linnaean system (1758) is based on similarities in obvious physical traits,
- it consists of a hierarchy of taxa, from the kingdom to the species,
- each species is given a unique two-word Latin name,
- Carolus Linnaeus' concept was Aristotelian (he was the idea of the essential features of living things and his logic).



Basic Terms (5)*

What is knowledge ?



Critics of Justified-True-Beliefs (JTB) Theory Edmund Gettier (1963)

Situation: A ball in front of me appears to be red

- 1) I **b**elieve it is red.
- 2) I'm **j**ustified in this belief, the ball appears red to me.
- 3) It's also **t**ruel that the ball is red.

However, it turns out that the ball is illuminated by a red light, a fact that I'm unaware of. Under the red each colour would appear red, but I made a lucky guess anyway :)

Facit: **The JTB conditions are fulfilled**, but JTB definition of knowledge is seriously flawed.

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)**
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Basic Terms (6)*

Sources of Knowledge and Justification

Perception

[AH] Limits of cognitive success, general skepticism

Memory

[AH] The preservation and reconstruction of the past

Introspection

[H] Lat.: 'to look within'. Introspective consciousness can produce inner seeing and other sensuous ideas.

Reason

[H] Understanding, insight, and intellectual power

Testimony

[H] The social foundation of knowledge

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)**
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Basic Terms (7)*

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)**
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Inferential Chains*

- infinite inferential chain,
- circular inferential chain,
- inferential chains terminating in belief not constituting knowledge,
- inferential chains terminating in knowledge
 - the last link must be
 - non-inferential,
 - direct (from perception, memory, introspection, or from testimony)
 - expressing otherwise:
 - the last link must be direct knowledge, knowledge *not based on* other knowledge (or on justified belief)

* [\[9\]](#) Robert Audi: Epistemology - A Contemporary Introduction to the Theory of Knowledge. Third edition. ©2011 Taylor & Francis. ISBN 978-0-415-87922-4. Ch. 9. The architecture of knowledge.

Basic Terms (8)*

Common Logical Fallacies

- 1) **The False Dilemma Fallacy** (e.g.: "We can either agree with Barbara's plan, or just let the project fail. There is no other option.")
- 2) **The Correlation/Causation Fallacy** (e.g.: "If two things appear to be correlated, this doesn't necessarily indicate that one of those things irrefutably caused the other thing.")
- 3) **Temporality is not causality** (e.g.: "Post hoc ergo propter hoc - Since event Y followed event X, event Y must have been caused by event X")
- 4) **Fallacy of division** (e.g.: Dogs are frequently encountered in the streets.
Afghan hounds are dogs.
Therefore Afghan hounds are frequently encountered in the streets.
- ...
- 100) **The Personal Incredulity Fallacy** (If you have difficulty understanding how or why something is true, that doesn't automatically mean the thing in question is false.)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)**
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Basic Terms (9)*

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) **Ontology Class in Protégé**
- 10) **Ontology Class in OLSVis (1)**
- 11) **Ontology Class in OLSVis (2)**
- 12) **Anatomical Ontology**
- 13) **Basic Terms (1)**
- 14) **Basic Terms (2)**
- 15) **Basic Terms (3)**
- 16) **Basic Terms (4)**
- 17) **Basic Terms (5)**
- 18) **Basic Terms (6)**
- 19) **Basic Terms (7)**
- 20) **Basic Terms (8)**
- 21) **Basic Terms (9)**
- 22) **Basic Terms (10)**
- 23) **Basic Terms (11)**
- 24) **Simple Ontology**
- 25) **Combined Ontologies (1)**
- 26) **Combined Ontologies (2)**
- 27) **Example Ontology**
- 28) **RDF Query Language (1)**
- 29) **RDF Query Language (2)**
- 30) **RDF Query Language (3)**
- 31) **RDF Query Language (4)**
- 32) **RDF Query Language (5)**
- 33) **RDF Query Language (6)**
- 34) **Ontologies in Biology (1)**
- 35) **Ontologies in Biology (2)**
- 36) **Ontologies in Biology (3)**
- 37) **Ontologies in Biology (4)**
- 38) **References (1)**
- 39) **References (2)**
- 40) **References (3)**
- 41) **Questions**

RDF


- the Resource Description Framework (RDF) is a general framework for representing interconnected data on the web,
- RDF statements are used for describing and exchanging metadata, which enables a standardized exchange of data based on relationships,
- RDF is used to integrate data from multiple sources,
- the semantic web is based on the use of the RDF framework to organize information,
- the **RDF triple** contains three components: the *subject*, the *predicate*, and the *object*; **each component is an RDF URI reference**



Basic Terms (10)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)**
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Universal Resource Identifier / Locator / Number



Internationalized Resource Identifier (IRI)

- is a sequence of characters from the Universal Character Set (Unicode/ISO10646),
- XML notation is using: e.g. 'я stands for CYRILLIC CAPITAL LETTER YA. (Я).

Basic Terms (11)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)**
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

RDFS

- the Resource Description Framework Schema is a vocabulary for describing properties and classes of RDF resources,
- RDFS is an extensible knowledge representation language, providing basic elements for the definition of ontologies.


RDFS classes

- it corresponds in RDF Schema to the generic concept of a type or category (like the notion of a class in OO languages)
- class C is defined by a triple of the form
`C rdf:type rdfs:Class.`

RDFS core classes

- `rdfs:Resource`, the class of all resources
- `rdfs:Class`, the class of all classes
- `rdfs:Literal`, the class of all literals (strings)
- `rdf:Property`, the class of all properties
- `rdf:Statement`, the class of all reified statements



example of classes



Simple Ontology expressed in Triples**

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) **Ontology Class in Protégé**
- 10) **Ontology Class in OLSVis (1)**
- 11) **Ontology Class in OLSVis (2)**
- 12) **Anatomical Ontology**
- 13) **Basic Terms (1)**
- 14) **Basic Terms (2)**
- 15) **Basic Terms (3)**
- 16) **Basic Terms (4)**
- 17) **Basic Terms (5)**
- 18) **Basic Terms (6)**
- 19) **Basic Terms (7)**
- 20) **Basic Terms (8)**
- 21) **Basic Terms (9)**
- 22) **Basic Terms (10)**
- 23) **Basic Terms (11)**
- 24) **Simple Ontology**
- 25) **Combined Ontologies (1)**
- 26) **Combined Ontologies (2)**
- 27) **Example Ontology**
- 28) **RDF Query Language (1)**
- 29) **RDF Query Language (2)**
- 30) **RDF Query Language (3)**
- 31) **RDF Query Language (4)**
- 32) **RDF Query Language (5)**
- 33) **RDF Query Language (6)**
- 34) **Ontologies in Biology (1)**
- 35) **Ontologies in Biology (2)**
- 36) **Ontologies in Biology (3)**
- 37) **Ontologies in Biology (4)**
- 38) **References (1)**
- 39) **References (2)**
- 40) **References (3)**
- 41) **Questions**


Subject	Predicate	Object
Shakespeare	married	Anne Hathaway
Shakespeare	livedIn	Stratford
Stratford	isIn	England
England	partOf	UK
. . .		




Combined Ontologies (1)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) **Combined Ontologies (1)**
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Ontology 1




Ontology 2



Combined Ontologies (2)

Ontology 1 and Ontology 2 combined

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) **Combined Ontologies (2)**
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions





Example Ontology

@prefix **swp**: <http://www.semanticwebprimer.org/ontology/apartments.ttl#>.
 @prefix **rdf**: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>.
 @prefix **rdfs**: <http://www.w3.org/2000/01/rdf-schema#>.

swp:Unit **rdf:type** **rdfs:Class**.
swp:Unit **rdfs:comment** "A self-contained section of accommodations".

swp:ResidentialUnit **rdf:type** **rdfs:Class**.
swp:ResidentialUnit **rdfs:comment** "The class of all units where people live."
swp:ResidentialUnit **rdfs:subClassOf** **swp:Unit**.

swp:Apartment **rdf:type** **rdfs:Class**.
swp:Apartment **rdfs:comment** "The class of apartments".
swp:Apartment **rdfs:subClassOf** **swp:ResidentialUnit**.



- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

RDF Query Language: SPARQL (1)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)**
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

SPARQL* is an RDF query language: a semantic query language for databases,- able to **retrieve** and **manipulate data** stored in Resource Description Framework (RDF) format.

"Trying to use the Semantic Web without SPARQL is like trying to use a relational database without [SQL](#)." (Sir Tim Berners-Lee, Director of W3C)

There are several other (far less important) RDF query languages, as well:

GraphQL,
Gremlin,
KGSQL,
RDQL,
SquishQL,
TriQL,
TMQL,
XUL, ...


*SPARQL : Simple Protocol and RDF Query Language.
Version 1.0 was acknowledged by W3C on 15 January 2008

RDF Query Language: SPARQL (2)*

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)**
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Different representations of the RDF data


RDF is concerned with informational content
XML, Turtle, JSON, ... is concerned with serialization

Graphical form	
Triple	subject predicate object
Alternative terminology	resource property name property value
Relational form	predicate(subject, object)
RDF/XML encoding	<pre> <rdf:Description rdf:about="subject"> <ex:"predicate"> <rdf:Description rdf:about="object"/> </ex:"predicate"> </rdf:Description> </pre>
*Turtle encoding	subject predicate object .

*Turtle : Terse RDF Triple Language.

RDF Query Language: SPARQL (3)

The SPARQL query's **WHERE** clause specifies "*pull this data out of the dataset,*" and the **SELECT** part names which parts of that pulled data you actually want to see.



- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) **RDF Query Language (3)**
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

RDF Query Language: SPARQL (4)*

Sample RDF data (*Turtle : Terse RDF Triple Language encoding)

```
prefix ab: <http://learningsparql.com/ns/addressbook#> .
```

```
ab:richard ab:homeTel "(209) 276-5135" .  
ab:richard ab:eMail "richard49@hotmail.com" .
```

```
ab:cindy ab:homeTel "(245) 646-5488" .  
ab:cindy ab:eMail "cindym@gmail.com" .
```

```
ab:craig ab:homeTel "+1 194 966-1505" .  
ab:craig ab:eMail "craigellis@yahoo.com" .  
ab:craig ab:eMail "c.ellis@gusairwaysgroup.com" .
```

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) **RDF Query Language (4)**
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

RDF Query Language: SPARQL (5)*

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)**
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Sample RDF data fragment (RDF/XML encoding)

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE RDF [
  <!ENTITY ab "http://learningsparql.com/ns/addressbook#">
]>
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
  xmlns:ab="&ab;">

  <rdf:Description rdf:about="ab:richard">
    <ex:"ab:homeTel">
      <rdf:Description rdf:about="(209) 276-5135"/>
    </ex:"ab:homeTel">
  </rdf:Description>

  <rdf:Description rdf:about="ab:richard">
    <ex:"ab:eMail">
      <rdf:Description rdf:about="richard49@hotmail.com"/>
    </ex:"ab:eMail">
  </rdf:Description>

</rdf:RDF>
```

RDF Query Language: SPARQL (6)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)**
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Sample SPARQL query

```

@PREFIX ab: <http://learningsparql.com/ns/addressbook#> .

SELECT ?propertyName ?propertyValue
WHERE
{
    ab:cindy ?propertyName ?propertyValue .
}
  
```

SPARQL query result

```

-----
| propertyName | propertyValue |
=====
| ab:email    | "cindym@gmail.com" |
| ab:homeTel  | "(245) 646-5488"   |
-----
  
```


Ontologies in Biology | IDSM*

Integrated Database of Small Molecules

aggregate many different sources of information about small molecules into a

single,
logically coherent,
semantically interconnected

information source using the semantic web technologies.



Sachem GUI

Sachem is a high-performance chemical cartridge for fingerprint-guided substructure and similarity search. Sachem GUI allows quick access to this functionality on our Sachem installation. Indexed databases include up-to-date versions of PubChem and ChEMBL.

[PubChem](#) is a database of chemical molecules and their activities against biological assays.

[ChEMBL](#) is a manually curated database of bioactive molecules with drug-like properties.



```

PREFIX : <https://www.ebi.ac.uk/rd/services/idsm:chembl>
PREFIX s: <https://www.ebi.ac.uk/rd/services/idsm:sachem>
PREFIX chembl: <https://www.ebi.ac.uk/rd/services/idsm:chembl>
PREFIX uni: <https://www.ebi.ac.uk/rd/services/idsm:uni>
PREFIX p: <https://www.ebi.ac.uk/rd/services/idsm:pubchem>

:sachem:substructureSearch [
  :m:query "CC(=O)Oc1ccccc1C(=O)O" ]
  
```

```

ACTIVITY rdf:type chembl:Activity;
  bl:hasMolecule ?COMPOUND;
  vl:hasAssay ?ASSAY.
  chembl:hasTarget ?TARGET.
  chembl:hasTargetComponent ?COMPONENT.
  chembl:targetCmpXref ?UNIPROT.
  type chembl:ProteinDataBan
  ?PDB.
  
```

SPARQL GUI

We provide an indexing service that allows FAIR-style search in published chemical data. You can easily construct queries that contain chemical substructure and similarity search terms combined with protein or bioassay-related queries.

Search with SPARQL >>

ChemWebRDF

PubChem RDF data exposed and searchable through an interoperable, semantic interface, using a custom high-performance SPARQL endpoint implementation. The service is still under development, but may already be used for processing many complicated queries.


ChemWebRDF app >>

Search for compounds >>

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) **Ontologies in Biology (1)**
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

Ontologies in Biology | IDSM | Schem GUI

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)**
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions



Biological and Biomedical Ontology ([OBO](#)) Foundry
Community development of interoperable ontologies for
or the biological sciences

click on to open...


Schem GUI

Schem is a high-performance chemical cartridge for fingerprint-guided substructure and similarity search. Schem GUI allows quick access to this functionality on our Schem installation. Indexed databases include up-to-date versions of PubChem and ChEMBL.

Search for compounds >>

Ontologies in Biology | IDSM | Chem Web RDF

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)**
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions



click on to open...

ChemWebRDF

PubChem RDF data exposed and searchable through an interoperable, semantic interface, using a custom high-performance SPARQL endpoint implementation. The service is still under development, but may already be used for processing many complicated queries.

[ChemWebRDF app >>](#)

Ontologies in Biology | IDSM | SPARQL GUI

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)**
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions

```
...AND ?PDB WHERE {  
  .https://www.ebi.ac.uk/rdf/services,  
  idsm:chembl {  
    AND sachem:substructureSearch [  
      sm:query "CC(=O)Oc1ccccc1C(=O)=O" ]
```

```
ACTIVITY rdf:type chembl:Activity;  
chembl:hasMolecule ?COMPOUND;  
chembl:hasAssay ?ASSAY.  
chembl:hasTarget ?TARGET.  
chembl:hasTargetComponent ?COMPONENT.  
chembl:targetCmpXref ?UNIPROT.  
type chembl:ProteinDataBank  
?PDB.
```

click on to open...

SPARQL GUI

We provide an indexing service that allows FAIR-style search in published chemical data. You can easily construct queries that contain chemical substructure and similarity search terms combined with protein or bioassay-related queries.

Search with SPARQL >>

References (1)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)**
- 39) References (2)
- 40) References (3)
- 41) Questions

- [1] Dean Allemang, Jim Hendler: *Semantic Web for the Working Ontologist Effective Modeling in RDFS and OWL*. ©2011 Elsevier Inc. ISBN 978-0-12-385965-5.
- [2] Liyang Yu: *A Developer's Guide to the Semantic Web*. ©Springer-Verlag Berlin Heidelberg 2011, 2014. ISBN 978-3-662-43796-4.
- [3] Jeffrey T. Pollock: *Semantic Web for Dummies*. ©2009 by Wiley Publishing, Inc. ISBN: 978-0-470-39679-7.
- [4] Graham Harman: *Object-Oriented Ontology: A New Theory of Everything*. ©2017 Penguin Random House. ISBN 978-0-241-26915-2.
- [5] Francesco Berto, Matteo Plebani: *Ontology and Metaontology - A Contemporary Guide*. ©Francesco Berto and Matteo Plebani 2015. ISBN 978-1-4725-7330-8.
- [6] Miguel-Angel, Sicilia Christian, Kop Fabio Sartori (Eds.): *Ontology, Conceptualization and Epistemology for Information Systems, Software Engineering and Service Science. 4th International Workshop, ONTOSE 2020 held at CAiSE 2020, Hammamet, Tunisia, June 7-8, 2020 Revised Selected Papers*. ©Springer-Verlag Berlin Heidelberg 2020. ISBN 978-3-642-16495-8.
- [7] Thomas Hofweber: *Ontology and the Ambitions of Metaphysics*. ©2016 Oxford University Press. ISBN 978-0-19-876983-5.
- [8] Robert Arp, Barry Smith, and Andrew D. Spear: *Building Ontologies with Basic Formal Ontology*. The MIT Press Cambridge, Massachusetts London, England. ©2015 Massachusetts Institute of Technology. ISBN 978-0-262-52781-1.

References (2)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)**
- 40) References (3)
- 41) Questions

- [9] Robert Audi: *Epistemology - A Contemporary Introduction to the Theory of Knowledge*. Third edition ©2011 Taylor & Francis. ISBN 978-0-415-87922-4.
- [10] Nicholas Rescher: *Epistemology - An Introduction to the Theory of Knowledge*. ©2003 State University of New York Press, Albany. ISBN 0-7914-5811-3.
- [11] Ontotext: *GraphDB Users Guide*, Release 9.11.0, 20 April 2022
- [12] Elisa Kendall, Deborah McGuinness: *Ontology 101: An Introduction to Knowledge Representation and Ontology Development*. Thematix Partners LLC & McGuinness Associates, 18 August 2015.
- [13] Bob DuCharme: *Learning SPARQL - Querying and Updating with SPARQL 1.1*. ©2011 O'Reilly Media, Inc. ISBN: 978-1-449-30659-5.
- [14] Ontotext: *The truth about Triplestores*.
- [15] Deborah L Mcguinness: *OWL Web Ontology Language Guide*. Article January 2004. DOI: 10.1007/978-3-642-15970-1_5.
- [16] W3C: *OWL Web Ontology Language Reference*. W3C Recommendation 10 February 2004.
- [17] Toby Segaran, Colin Evans, Jamie Taylor: *Programming the Semantic Web*. ©2009 O'Reilly Media, Inc. ISBN: 978-0-596-15381-6.
- [18] Matthew Horridge: *A Practical Guide To Building OWL Ontologies Using Protégé 4 and CO-ODE Tools Edition 1.2*. ©2011 The University Of Manchester.
- [19] Olivier Curé, Guillaume Blin: *RDF Database Systems Triples Storage And SPARQL Query Processing*. ©2015 Elsevier Inc. ISBN 978-0-12-799957-9.


References (3)

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)**
- 41) Questions

- [20] Marcelo Arenas: *Semantic Web: Query Languages for RDF and RDFS*. Pontificia Universidad Católica de Chile Centro de Investigación de la Web.
- [21] Vipul Kashyap, Christoph Bussler, Matthew Moran: *The Semantic Web - Semantics for Data and Services on the Web*. ©2008 Springer-Verlag Berlin Heidelberg. ISBN 978-3-540-76451-9.
- [22] Grigoris Antoniou, Paul Groth, Frank van Harmelen, Rinke Hoekstra: *A Semantic Web Primer*. ©2012 Massachusetts Institute of Technology. ISBN 978-0-262-01828-9.
- [23] Jakub Galgonek, Tomáš Hurt, Vendula Michlíková, Petr Onderka, Jan Schwarz, Jiří Vondrášek: Advanced SPARQL querying in small molecule databases. © 2016 Journal of Cheminformatics, 6 June. Part of Springer *nature*. <https://doi.org/10.1186/s13321-016-0144-4>
- [24] Miroslav Kratochvíl, Jiří Vondrášek, Jakub Galgonek: Interoperable chemical structure search service. © 2019 Journal of Cheminformatics, 28 June. Part of Springer *nature*. <https://doi.org/10.1186/s13321-019-0367-2>

Questions ?

- 1) Contents
- 2) Intended Audience
- 3) What is a Web 1.0 ?
- 4) What is a Web 2.0 ?
- 5) What is a Web 3.0 ?
- 6) What is a Web 4.0 ?
- 7) What will be Web 5.0 ?
- 8) Back to Web 3.0
- 9) Ontology Class in Protégé
- 10) Ontology Class in OLSVis (1)
- 11) Ontology Class in OLSVis (2)
- 12) Anatomical Ontology
- 13) Basic Terms (1)
- 14) Basic Terms (2)
- 15) Basic Terms (3)
- 16) Basic Terms (4)
- 17) Basic Terms (5)
- 18) Basic Terms (6)
- 19) Basic Terms (7)
- 20) Basic Terms (8)
- 21) Basic Terms (9)
- 22) Basic Terms (10)
- 23) Basic Terms (11)
- 24) Simple Ontology
- 25) Combined Ontologies (1)
- 26) Combined Ontologies (2)
- 27) Example Ontology
- 28) RDF Query Language (1)
- 29) RDF Query Language (2)
- 30) RDF Query Language (3)
- 31) RDF Query Language (4)
- 32) RDF Query Language (5)
- 33) RDF Query Language (6)
- 34) Ontologies in Biology (1)
- 35) Ontologies in Biology (2)
- 36) Ontologies in Biology (3)
- 37) Ontologies in Biology (4)
- 38) References (1)
- 39) References (2)
- 40) References (3)
- 41) Questions**



...und das nötige Plus: [SEMIC](#)
[DCAT-AP](#)
[NAVÜ](#)